

Karuk Community Health Clinic

64236 Second Avenue
 Post Office Box 316
 Happy Camp, CA 96039
 Phone: (530) 493-5257
 Fax: (530) 493-5270

Karuk Tribe**Administrative Office**

Phone: (530) 493-1600 • Fax: (530) 493-5322
 64236 Second Avenue • Post Office Box 1016 • Happy Camp, CA 96039

Karuk Dental Clinic

64236 Second Avenue
 Post Office Box 1016
 Happy Camp, CA 96039
 Phone: (530) 493-2201
 Fax: (530) 493-5364

Request for Proposals**20-RFP-034**

For More Information: Scot Steinbring (530)598-3047 ssteinbring@karuk.us
Proposal Deadline: July 27th 2020 no later than 4:00 PM (Pacific Standard Time)

The Karuk Tribe requests proposals for the following Scope of Work required for Fuels treatment in the Ti-Bar Project Patterson area, Units. See Attached Map & Scope of Work.

Task One

AREA	UNIT	Ac	Treatment	
Ti Bar	2103	4.55	Cut_Pile	2020
Ti Bar	2108	4.97	Cut_Pile	2020
Ti Bar	2121	14.6	Cut_Pile	2020
Ti Bar	2146	39.25	Cut_Pile	2020
Ti Bar	2152	11.38	Cut_Pile	2020
Ti Bar	2153	12.01	Cut_Pile	2020
Ti Bar	2154	8.78	Cut_Pile	2020
Ti Bar	2156	8.47	Cut_Pile	2020
Ti Bar	2161	8.5	Cut_Pile	2020
Patterson	2207	11.73	Cut_Pile	2020
Patterson	2212	13.53	Cut_Pile	2020
Patterson	2243	32.56	Cut_Pile	2020
Patterson	2253	64.51	Cut_Pile	2020
Patterson	2258	9.14	Cut_Pile	2020
Patterson	2263	20.38	Cut_Pile	2020
Patterson	2284	15.84	Cut_Pile	2020
Patterson	2293	13.1	Cut_Pile	2020

230 Acres

Notify Scot Steinbring for inspection at 530-598-3047 ssteinbring@karuk.us

Responses to this Request for Proposals should include the following:

- 1) A statement of qualifications, including relevant project history.
- 2) A lump sum price, with attached price page. Line item charges
- 3) Names and telephone numbers of three client references.

Responses must be hand, mail, or email delivered by July 27th, 2019 no later than 4:00 p.m. (Pacific Standard Time) to:

Emma Lee Perez, Contract Compliance Specialist
Karuk Tribe – Administration Office
64236 Second Avenue
P.O. Box 1016
Happy Camp, CA 96039
Faxes will NOT be accepted
Emails will be accepted at: emmaleeperez@karuk.us

Indian Preference will apply in the selection process in accordance with the Tribal Employment Rights Ordinance (TERO) and/or Indian Preference Act of 1934 (Title 25, USC, Section 47), based on funding source requirements.

All contracts that exceed \$2,500.00 shall be subject to a two percent (2%) Tribal Employment Rights Fee in accordance with the TERO Ordinance.

If applicable, construction contracts in excess of \$2,000, when required by Federal grant program legislation, are subject to compliance with the Davis-Bacon Act (40 USC 276a to a-7) as supplemented by Department of Labor regulations (29 CFR part 5).

Price Page for 20-RFP-034:

Proposal Submitted by:

Name: _____ **Phone Number:** _____

E-mail: _____ **Fax Number:** _____

Amount requested to be compensated for each task:

- Task: _____
- Task: _____
- Task: _____

List previous experience below:

List up to three references with phone numbers below:

- 1) _____
- 2) _____
- 3) _____

Other Comments:

Indian Preference will apply in the selection process in accordance with the Indian Preference Act of 1934 (Title 25, USC, Section 47) and/or the Tribal Employment Rights Ordinance (TERO), based on funding source requirements.

All contracts that exceed \$2,500.00 shall be subject to a two percent (2%) Tribal Employment Rights Fee in accordance with the TERO Ordinance.

If applicable, construction contracts in excess of \$2,000, when required by Federal grant program legislation, are subject to compliance with the Davis-Bacon Act (40 USC 276a to a-7) as supplemented by Department of Labor regulations (29 CFR part 5).

Price Page for 20-RFP- :

Proposal Submitted by:

Name: _____ **Phone Number:** _____

E-mail: _____ **Fax Number:** _____

Lump sum amount requested to be compensated for: _____

Provide hourly rates:

Provide travel expense rates:

List up to three references with phone numbers below:

1) _____

2) _____

3) _____


Other Comments:

Indian Preference will apply in the selection process in accordance with the Indian Preference Act of 1934 (Title 25, USC, Section 47) and/or the Tribal Employment Rights Ordinance (TERO), based on funding source requirements.

All contracts that exceed \$2,500.00 shall be subject to a two percent (2%) Tribal Employment Rights Fee in accordance with the TERO Ordinance.

If applicable, construction contracts in excess of \$2,000, when required by Federal grant program legislation, are subject to compliance with the Davis-Bacon Act (40 USC 276a to a-7) as supplemented by Department of Labor regulations (29 CFR part 5).

Handpile Example
End View of Handpile



Prescriptions for Fuels Reductions:


**Cutters should abide by the following species preference; Black Oak, White Oak, Sugar pine, Dogwood, Yew, Cedar, Western Hemlock, Madrone, Chinquapin, Live Oak, Maple, Oregon Ash, bay (pepperwood), then tan oak.

Contractor will cut most hardwoods, brush and conifers less than 6" DBH (leaving residuals in an approximate 15'x15' spacing or greater) and limb residual conifer and hardwoods to shoulder height. Favor the retention of species in order listed above.

Specific Work Requirement:

1. Hardwoods, brush and conifers stump height no more than 4 inches from the ground as measured on the uphill side
2. All live limbs shall be completely severed from the remaining stump/bole of tree
3. Stumps shall not be cut at an acute angle
4. Limbing will be performed in such a way that no damage to bowl of limbed trees will occur
5. On hardwoods such as tan oak and chinquapin where there are multiple stump sprouts, thin down to the healthiest largest three sprouts per clump.
6. Slash shall not lean against or suspended on uncut vegetation
7. Leave dead and down logs greater than 6" diameter on the larger end and buck to approximately 6 ft in length (leave logs)
8. Except for leave logs, all slash will be placed in manageable tight compact piles for burning (see diagram) approximately 5-6ft in diameter and no less than 4 ft in height, in areas void of leave trees larger piles or wind rows can be built
9. Within 4 feet of each pile, all dead and down woody debris up to 6" in diameter shall be cut into approximately 4 ft lengths, gathered and piled
10. To minimize scorch, all piles should be built at least 6 feet away from boundaries, leave trees, snags, stumps or leave logs.
11. Piles should be covered with at two 4'x6' pieces of thick craft paper wax side up. The covering should come down at least half the height of the pile and ensure that material is piled on top to prevent the craft paper being blown off. Paper should be placed at least $\frac{3}{4}$ of the height of the pile.
12. Piles shall not be built on stumps or down logs

~5 feet
tall



~5-6 feet wide

AREA	UNIT	Ac	Treatment	
Ti Bar	2103	4.55	Cut_Pile	2020
Ti Bar	2108	4.97	Cut_Pile	2020
Ti Bar	2121	14.6	Cut_Pile	2020
Ti Bar	2146	39.25	Cut_Pile	2020
Ti Bar	2152	11.38	Cut_Pile	2020
Ti Bar	2153	12.01	Cut_Pile	2020
Ti Bar	2154	8.78	Cut_Pile	2020
Ti Bar	2156	8.47	Cut_Pile	2020
Ti Bar	2161	8.5	Cut_Pile	2020
Patterson	2207	11.73	Cut_Pile	2020
Patterson	2212	13.53	Cut_Pile	2020
Patterson	2243	32.56	Cut_Pile	2020
Patterson	2253	64.51	Cut_Pile	2020
Patterson	2258	9.14	Cut_Pile	2020
Patterson	2263	20.38	Cut_Pile	2020
Patterson	2284	15.84	Cut_Pile	2020
Patterson	2293	13.1	Cut_Pile	2020

230 Acres

Scope of Work

Task/Deliverable	Completion Date
<p>Forestry Technician Resources</p> <p>Provide Forestry Technician personnel and equipment to manually Thin, Prune and Pile hazardous fuels in the Patterson Creek project area.</p> <p>**Cutters should abide by the following species preference; Black Oak, White Oak, Sugar pine, Dogwood, Yew, Cedar, Western Hemlock, Madrone, Chinquapin, Live Oak, Maple, Oregon Ash, bay (pepperwood), then tan oak.</p> <p>Cooperator will cut most hardwoods, brush and conifers up to 6" DBH (leaving residuals in an approximate 15'x15' spacing or greater). Limb residual conifer and hardwoods to shoulder height. Favor the retention of species in the order listed above. Some discretion can be applied to the 6" dbh limit and thinning increased to 8" dbh to facilitate prescribed burning in select fuel treatment/underburn areas as directed by fuels staff.</p> <p>Specific Work Requirement:</p> <ol style="list-style-type: none"> 1. Hardwoods, brush and conifers stump height no more than 4 inches from the ground as measured on the uphill side 2. All live limbs shall be completely severed from the remaining stump/bole of tree 3. Stumps shall not be cut at an acute angle 4. Limbing will be performed in such a way that no damage to bowl of limbed trees will occur 5. On hardwoods such as tan oak and chinquapin where there are multiple stump sprouts, thin down to the healthiest largest three sprouts per clump. 6. Slash shall not lean against or suspended on uncut vegetation 7. Leave dead and down logs greater than 6" diameter on the larger end and buck to approximately 6 ft in length (leave logs) 	<p>Beginning in Units 2220 – Acres 19.82 2290 – Acres 20.36 2206 – Acres 18.26 Total- 58.44</p>

8. Except for leave logs, all slash will be placed in manageable tight compact piles for burning (see diagram) approximately 5-6ft in diameter and no less than 4 ft in height, in areas void of leave trees larger piles or wind rows can be built
9. Within 4 feet of each pile, all dead and down woody debris up to 6" in diameter shall be cut into approximately 4 ft lengths, gathered and piled
10. To minimize scorch, all piles should be built at least 6 feet away from boundaries, leave trees, snags, stumps or leave logs.
11. Piles should be covered with at two 4'x6' pieces of thick craft paper wax side up. The covering should come down at least half the height of the pile and ensure that material is piled on top to prevent the craft paper being blown off. Paper should be placed at least $\frac{3}{4}$ of the height of the pile.
12. Piles shall not be built on stumps or down logs.
13. Must ad hear to all NEPA Documents.
14. All Invoices will be submitted no later than 30 days after completion.
15. Units must be completed No later than Oct 1st 2020.

Handpile Example

End View of Handpile

