

KLAMATH R NEAR SEIAD VALLEY
DISCHARGE, CUBIC FEET PER SECOND; TEMPERATURE, WATER (DEG. C); PH, WATER, WHOLE, FIELD, STANDARD UNITS;
OXYGEN DISSOLVED (MG/L);SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C); TEMPERATURE, AIR, DEGREES FAHRENHEIT
START="20001001" END "20010930"

DATE	DC	MEAN	WT MIN	WT MAX	pH MIN	pH MAX	DO MIN	DO MAX	CON MIN	CON MAX	AT MIN	AT MAX
10/1/2000	1510	17.3	19.2	6.5	6.5				213	218	49	75
10/2/2000	1510	16.8	18.7	6.4	6.5				217	224	44	71
10/3/2000	1540	15.8	17.8	6.5	6.6				223	227	40	72
10/4/2000	1570	14.4	17	6.5	7.2			10.6	223	233	39	73
10/5/2000	1580	14.5	16.7	6.7	7.1	8.4	10.5		227	233	39	75
10/6/2000	1580	14.5	16.7	6.7	7.1	8.4	10.4		227	232	39	71
10/7/2000	1590	14.4	16.7	6.7	7.1	8.2	10.2		230	234	40	73
10/8/2000	1580	14.6	16.7	6.7	7.1	8.1	10.2		229	235	32	70
10/9/2000	1620	14.7	16.3	6.6	6.9	7.8	9.6		233	236	47	55
10/10/2000	1650	14.2	15.3	6.6	7	8.1	9.5		233	238	44	53
10/11/2000	1640	13.6	15	6.6	7	7.9	9.4		238	242	41	57
10/12/2000	1640	13.2	14.4	6.6	7	7.8	9.5		240	246	38	58
10/13/2000	1630	13	15.1	6.6	7	7.6	9.3		245	249	40	62
10/14/2000	1640	13.4	15.2	6.6	7	7.3	9.1		245	250	40	61
10/15/2000	1630	13.5	14.8	6.6	7	6.9	8.9		247	251	41	58
10/16/2000	1640	12.6	14.1	6.7	7	7.3	9		245	249	35	57
10/17/2000	1650	12.3	14.1	6.7	7	6.9	9.1		243	246	34	62
10/18/2000	1660	12.7	14.1	6.6	6.9				244	247	42	59
10/19/2000	1670	12.9	14.6	6.7	7				243	247	45	62
10/20/2000	1720	13.2	14.2	6.6	6.8				241	246	43	54
10/21/2000	1770	12.3	13.6	6.7	6.9				242	244	37	50
10/22/2000	1720	11	12.4	6.7	7				244	248	31	57
10/23/2000	1690	10.4	12	6.7	7				244	248	38	59
10/24/2000	1690	10.5	12.5	6.7	7				242	246	31	56
10/25/2000	1690	11.4	12.7	6.7	6.9				241	245	42	60
10/26/2000	1700	11.5	12.5	6.6	6.9				241	243	39	56
10/27/2000	1710	11.2	12.4	6.7	6.9				239	243	39	52
10/28/2000	1810	11.3	12.3	6.7	6.9				235	243	38	48
10/29/2000	1820	11	11.8	6.7	6.9				234	239	38	47
10/30/2000	1780	10.7	12.2	6.7	6.9				238	242	39	51
10/31/2000	1760	10.7	11.6	6.7	7				238	242	37	48
11/1/2000	1770	10.1	11	6.7	6.9				240	242	36	46
11/2/2000	1760	10.2	11.6	6.7	6.9				238	242	42	53
11/3/2000	1790	10.9	12	6.7	6.9				237	240	40	57
11/4/2000	1770	10.5	11.3	6.7	6.9				239	240	38	51
11/5/2000	1760	10	11	6.7	6.9				236	240	36	51
11/6/2000	1760	9.8	10.7	6.7	6.9				237	240	32	49
11/7/2000	1750	8.7	9.8	6.7	6.9				235	238	29	49
11/8/2000	1770	9.4	10.1	6.7	6.9				233	237	37	46
11/9/2000	1790	9	9.8	6.7	6.9				232	235	32	43
11/10/2000	1770	8.2	9.6	6.7	6.9				232	235	27	45
11/11/2000	1740	7.1	8.2	6.7	6.9				229	234	25	39
11/12/2000	1720	6.2	7.1	6.7	6.9				227	231	22	36
11/13/2000	1720	6	6.6	6.7	6.8				226	228	25	32
11/14/2000	1750											
11/15/2000	1700											
11/16/2000	1740	7.3	8.1	6.3	7				224	247	27	42
11/17/2000	1730	6.1	7.3	7	7.1				247	256	25	38
11/18/2000	1710	5.6	6.5	7.1	7.2				253	258	24	37
11/19/2000	1710	5.4	6.5	7.2	7.2				247	254	26	40
11/20/2000	1710	5.5	6.6	7.2	7.2				237	247	25	42
11/21/2000	1710	5.6	6.5	7.2	7.2				231	237	27	41
11/22/2000	1710	5.8	6.4	7.2	7.2				229	232	28	38
11/23/2000	1720	5.5	6.7	7.2	7.3				225	229	28	37
11/24/2000	1720	6.4	7.5	7.3	7.3				225	230	34	45
11/25/2000	1720	6.7	7.4	7.3	7.3				224	230	34	41
11/26/2000	1730	7.1	7.6	7.3	7.3				224	227	37	45
11/27/2000	1730	7.3	7.9	7.3	7.3				227	229	40	48
11/28/2000	1720	7.3	7.8	7.3	7.3				224	228	38	46
11/29/2000	1810	7.4	8	7.3	7.4				223	227	37	42
11/30/2000	1718	7.4	7.9	7.4	7.4				224	229	37	44
12/1/2000	1740	6.9	7.4	7.4	7.4				221	225	35	42
12/2/2000	1720	6.4	7	7.4	7.4				215	221	32	42
12/3/2000	1720	6.1	6.8	7.4	7.4				211	218	31	42
12/4/2000	1720	5.8	6.3	7.4	7.4				215	219	30	40
12/5/2000	1720	5.3	6	7.4	7.5				213	219	29	43

KLAMATH R NEAR SEIAD VALLEY
 DISCHARGE, CUBIC FEET PER SECOND; TEMPERATURE, WATER (DEG. C); PH, WATER, WHOLE, FIELD, STANDARD UNITS;
 OXYGEN DISSOLVED (MG/L);SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C); TEMPERATURE, AIR, DEGREES FAHRENHEIT
 START="20001001" END "20010930"

DATE	DC MEAN	WT MIN	WT MAX	pH MIN	pH MAX	DO MIN	DO MAX	CON MIN	CON MAX	AT MIN	AT MAX
12/6/2000	1720	4.9	5.7	7.5	7.5			217	222	27	40
12/7/2000	1710	5	5.8	7.4	7.5			214	217	30	42
12/8/2000	1710	5.2	6.1	7.4	7.4			211	215	32	41
12/9/2000	1700	5.9	6.9	7.4	7.4			210	213	36	48
12/10/2000	1720	6.2	6.9	7.4	7.5			210	211	28	42
12/11/2000	1720	5	6.2	7.5	7.5			209	216	29	32
12/12/2000	1740	5.1	5.9	7.5	7.5			216	219	30	36
12/13/2000	1780	5.7	6.1	7.5	7.6			208	217	34	39
12/14/2000	1920	5.7	6.2	7.4	7.9			208	216	35	42
12/15/2000	1870	5.6	6.2	7.4	7.8			216	225	34	46
12/16/2000	1810	5.4	5.9	7.6	7.8			222	226	32	43
12/17/2000	1810	5	5.6	7.6	7.8			221	223	27	42
12/18/2000	1710	3.9	5	7.6	7.8			221	222	27	40
12/19/2000	1760	3.8	4.9	7.7	7.9			218	221	30	41
12/20/2000	1750	4.5	5.3	7.7	7.9			217	219	31	42
12/21/2000	1770	4.7	5.4	7.7	7.9			216	219	31	40
12/22/2000	1790	5.1	6	7.7	8			216	218	38	44
12/23/2000	1780	5.4	5.9	7.8	7.9			216	218	37	40
12/24/2000	1780	4.9	5.7	7.7	8			215	217	31	42
12/25/2000	1760	3.9	5.1	7.7	7.9			215	216	28	42
12/26/2000	1750	3.1	3.9	7.7	8			215	216	28	44
12/27/2000	1750	3.2	4.1	7.8	8			214	216	27	43
12/28/2000	1750	3	3.7	7.8	8			215	217	25	37
12/29/2000	1740	2.6	3.3	7.8	8			215	217	25	35
12/30/2000	1740	2.4	3.1	7.9	8.1			216	218	26	35
12/31/2000	1740	2.2	3	7.9	8.1			216	218	25	37
1/1/2001	1740	2.4	3.4	7.9	8.1			216	218	28	42
1/2/2001	1740	2.9	3.8	7.9	8.2			216	217	28	43
1/3/2001	1740	2.8	3.6	8.1	8.3			216	218	27	40
1/4/2001	1730	2.6	3.4	8.1	8.3			211	218	27	40
1/5/2001	1720	2.9	3.9	8.1	8.4	11	13.7	213	216	29	44
1/6/2001	1720	3.2	3.9	8.1	8.3	10.5	11.3	215	217	29	42
1/7/2001	1720	3.1	4.2	8.1	8.3	10.4	11.2	215	217	29	40
1/8/2001	1740	4.2	5.1	8.1	8.3	10.2	11.1	214	216	36	44
1/9/2001	1740	3.9	4.8	8.1	8.2	10.1	10.7	213	216	30	36
1/10/2001	1760	3.6	4.2	8.1	8.3	10.4	11	214	216	30	42
1/11/2001	1760	3.5	3.8	8.1	8.3	10.3	11.2	216	217	29	39
1/12/2001	1770	3.7	4.4	8.1	8.3	10.5	11.5	217	219	32	40
1/13/2001	1760	4.1	4.6	8.1	8.3	10.2	11.1	219	223	34	40
1/14/2001	1750	4	4.6	8.1	8.3	10.3	11.4	220	223	32	41
1/15/2001	1740	3	4.1	8.1	8.3	10.7	11.6	219	221	25	41
1/16/2001	1730	1.9	3	8.1	8.2	11	12	219	221	22	38
1/17/2001	1720	1.4	2.5	8.1	8.2	11.3	13.4	217	220	22	37
1/18/2001	1720	1.9	3.2	8.1	8.3	11.4	12.3	216	218	24	40
1/19/2001	1720	2.8	3.8	8.1	8.3	11.4	12.1	216	217	27	38
1/20/2001	1720	2.8	3.6	8.1	8.3	11.3	12.4	216	218	26	39
1/21/2001	1720	3.1	4.1	8.1	8.3	11.3	12.3	216	219	33	47
1/22/2001	1720	3.7	4.6	8.1	8.2	11.3	12.9	215	218	30	45
1/23/2001	1740	3.7	5	8.1	8.2	11.2	12.3	215	218	30	49
1/24/2001	1800	4.2	5.1	8	8.2	11.2	12.6	215	217	31	42
1/25/2001	1790	4	4.6	8.1	8.2	11.3	12.2	216	220	30	34
1/26/2001	1780	3.3	4.6	8.1	8.3	11.3	12.5	220	224	29	40
1/27/2001	1750	3.3	4.3	8.1	8.3	11.1	11.9	222	225	27	41
1/28/2001	1740	2.3	3.7	8.1	8.3	11.4	12.5	219	223	23	39
1/29/2001	1750	3.3	4.7	8.1	8.3	11.6	12.5	217	220	28	41
1/30/2001	1730	3.2	4.2	8.1	8.2	11.8	13	216	219	25	38
1/31/2001	1720	2.3	3.5	8.1	8.2	12	12.9	217	219	23	40
2/1/2001	1730	2.4	4.1	8.1	8.2	12.2	13.3	214	218	25	43
2/2/2001	1750	3.9	5.3	8	8.2	11.9	13.2	214	216	36	44
2/3/2001	1770	5.1	6.2	8	8.2	11.9	13.9	214	216	39	44
2/4/2001	1790	5.7	6.5	8	8.2	11.9	13.1	215	217	39	49
2/5/2001	1800	5.9	6.8	8	8.2	11.9	12.9	214	216	33	45
2/6/2001	1790	4.8	6	8	8.3			213	217	29	39
2/7/2001	1780	3.7	4.8	8.1	8.4	10.7	12	213	215	25	37
2/8/2001	1760	2.7	3.7	8.2	8.4	10.8	11.6	212	214	22	35
2/9/2001	1780	2.9	4	8.2	8.4	10.9	13.4	210	213	29	39
2/10/2001	1770	3.6	4.5	8.2	8.5	10.8	12.8	210	212	30	40

KLAMATH R NEAR SEIAD VALLEY
 DISCHARGE, CUBIC FEET PER SECOND; TEMPERATURE, WATER (DEG. C); PH, WATER, WHOLE, FIELD, STANDARD UNITS;
 OXYGEN DISSOLVED (MG/L);SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C); TEMPERATURE, AIR, DEGREES FAHRENHEIT
 START="20001001" END "20010930"

DATE	DC MEAN	WT MIN	WT MAX	pH MIN	pH MAX	DO MIN	DO MAX	CON MIN	CON MAX	AT MIN	AT MAX
2/11/2001	1780	3.7	4.9	8.3	8.5	10.7	11.7	212	214	28	34
2/12/2001	1770	3.7	5	8.2	8.4	10.6	11.8	213	216	25	40
2/13/2001	1750	3	4.5	8.2	8.5	10.6	11.5	216	218	19	47
2/14/2001	1750	2.8	4.6	8.3	8.5	10.5	11.4	216	217	24	44
2/15/2001	1740	3.1	4.8	8.3	8.5	10.5	12.8	214	217	23	45
2/16/2001	1740	4	5.8	8.3	8.5	10.8	12.1	213	216	34	51
2/17/2001	1740	4.8	6.3	8.2	8.4	11	12.8	213	215	37	53
2/18/2001	1750	5.4	6.3	8.2	8.5	11.1	12.6	213	215	36	48
2/19/2001	1750	5.1	6.6	8.3	8.4	11.8	13.1	212	215	35	53
2/20/2001	1770	5.8	6.9	8.2	8.4	12.2	13.7	212	214	38	47
2/21/2001	1800	5.9	6.9	8.2	8.4	12	13.1	211	214	36	44
2/22/2001	1860	5.8	6.7	8.2	8.3	11.9	13	211	214	33	42
2/23/2001	1860	5.2	6.3	8.2	8.4	11.8	13	212	214	32	46
2/24/2001	1850	5.3	6	8.2	8.4	11.9	13.2	214	217	33	41
2/25/2001	1830	4.8	6.7	8.2	8.4	11.9	13.3	216	218	31	50
2/26/2001	1810	4.8	6.9	8.2	8.3	11.7	12.8	216	219	28	54
2/27/2001	1780	4.8	6.7	8.2	8.3	11.4	12.9	216	218	26	54
2/28/2001	1760	4.8	6.7	8.2	8.4	11.5	13.4	214	218	24	54
3/1/2001	1770	4.8	6.1	8.3	8.4	11.4	13.4	213	217	27	39
3/2/2001	1800	4.9	7	8.3	8.4	12.3	13.9	211	214	29	44
3/3/2001	1770	5.3	6.1	8.3	8.4	12.1	13.5	213	215	27	43
3/4/2001	1780	5.2	6.6	8.3	8.4	12	13.5	213	216	34	48
3/5/2001	1830	5.9	7.1	8.3	8.5	12	13.3	213	215	34	48
3/6/2001	2090	6.2	8.2	8.3	8.4	11.6	13.3	210	220	35	58
3/7/2001	2040	6.8	9.3	8.3	9	10.7	13.3	220	231	34	58
3/8/2001	1970	7.3	9.5	8.2	8.6	11	13.3	226	228	33	51
3/9/2001	1930	7.3	8.5	8.3	8.7	11.1	12.8	221	227	32	46
3/10/2001	1890	6.2	8.5	8.3	8.8	11.3	13.2	218	222	27	50
3/11/2001	1860	6.4	8.7	8.3	8.9	11.8	13.5	216	220	29	53
3/12/2001	1840	6.8	9.3	8.4	8.8	11.8	13.6	215	219	29	62
3/13/2001	1830	7.3	9.7	8.4	8.8	11.9	13.8	213	217	22	61
3/14/2001	1820	7.3	9.5	8.5	8.9	11.6	13.7	215	218	27	54
3/15/2001	1820	7.6	8.7	8.5	8.9	11.9	14.2	215	222	32	43
3/16/2001	1810	7	8.5	8.5	8.9	11.7	14	217	223	33	52
3/17/2001	1820	7.6	9.6	8.6	9	12	13.9	212	219	38	50
3/18/2001	1900	8.9	11.2	8.6	9	12	14.3	211	216	45	60
3/19/2001	1950	10.2	11.4	8.6	9	12.6	14.3	210	213	45	61
3/20/2001	2040	9.7	11.1	8.6	9	12.5	13.7	207	212	42	61
3/21/2001	2120	9.4	11.9	8.6	9	12	13.8	203	208	43	66
3/22/2001	2240	10.3	12.9	8.6	9	11.9	14.5	201	204	41	68
3/23/2001	2420	10.9	13.6	8.7	8.9	11.6	13.8	192	205	42	67
3/24/2001	2530	10.9	12.4	8.6	8.7			187	199	43	55
3/25/2001	2910	9.9	11.3	8.6	8.8			169	188	40	51
3/26/2001	2810	8.3	10.5	8.4	8.6			164	184	37	54
3/27/2001	2520	8.8	10.1	8.3	8.6			183	194	32	50
3/28/2001	2680	9.6	11.4	8.4	8.8			184	192	44	58
3/29/2001	2770	10.4	12.8	8.4	8.6			174	184	41	62
3/30/2001	2620	10.6	13	8.4	8.8			181	191	34	63
3/31/2001	2500	10.9	13.5	8.5	8.8			185	195	39	67
4/1/2001	2430	11.5	12.8	8.5	8.7			187	194	38	59
4/2/2001	2310	10	11.8	8.4	8.6			188	192	32	41
4/3/2001	2210	8.8	10.7	8.3	8.5			188	193	30	44
4/4/2001	2120	8.1	11.2	8.2	8.6	10.3	11.6	193	199	29	53
4/5/2001	2030	8.7	11.4	8.2	8.6	10.2	11.4	198	200	27	59
4/6/2001	1990	9.9	11	8.2	8.5	10.1	10.8	199	200	35	43
4/7/2001	2180	8.7	10.2	8.3	8.6	10.1	11.1	198	201	31	44
4/8/2001	2320	8.7	10.6	8.3	8.6	9.6	10.8	199	207	30	46
4/9/2001	2300	8.8	11.6	8.3	8.6	9.3	10.6	205	209	31	48
4/10/2001	2260	9.2	10.9	8.3	8.6	9.3	10.4	204	209	30	51
4/11/2001	2240	9.6	11.6	8.3	8.6	9.3	10.6	203	207	35	50
4/12/2001	2210	9.1	10.8	8.3	8.6	9	10.4	203	208	30	50
4/13/2001	2200	9.4	11.8	8.3	8.6	8.8	10.1	205	208	33	51
4/14/2001	2180	9.4	12.2	8.4	8.7	8.7	9.9	206	208	27	57
4/15/2001	2160	10.1	13	8.3	8.7	8.5	10.1	204	209	32	62
4/16/2001	2170	10.2	12.5	8.3	8.6	8.6	9.7	204	208	34	66
4/17/2001	2210	10.7	13.5	8.3	8.7	8.7	9.8	198	206	42	58
4/18/2001	2240	10.4	12	8.3	8.5	8.8	9.8	197	202	39	44

KLAMATH R NEAR SEIAD VALLEY
 DISCHARGE, CUBIC FEET PER SECOND; TEMPERATURE, WATER (DEG. C); PH, WATER, WHOLE, FIELD, STANDARD UNITS;
 OXYGEN DISSOLVED (MG/L);SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C); TEMPERATURE, AIR, DEGREES FAHRENHEIT
 START="20001001" END "20010930"

DATE	DC MEAN	WT MIN	WT MAX	pH MIN	pH MAX	DO MIN	DO MAX	CON MIN	CON MAX	AT MIN	AT MAX
4/19/2001	2340	9.9	11.7	8.3	8.6	8.2	10.2	199	207	37	51
4/20/2001	2400	10.2	12	8.3	8.6	7.5	8.7	207	216	37	51
4/21/2001	2360	10.3	13.5	8.3	8.7	7.2	8.8	214	218	35	60
4/22/2001	2320	11	13.4	8.4	8.8	7.1	8.6	216	221	37	60
4/23/2001	2310	11.8	15.1	8.4	8.8	7.2	8.9	210	218	42	68
4/24/2001	2310	12.6	16.1	8.4	8.8	7.2	9.1	207	212	40	74
4/25/2001	2360	13.6	17	8.4	8.9	7.2	9.2	202	208	43	78
4/26/2001	2480	14.3	17.4	8.4	8.8	7	9.7	187	202	47	75
4/27/2001	2620	13.6	15.9	8.4	8.8	7.4	10.5	173	187	40	65
4/28/2001	2640	13	14.7	8.4	8.7	9.1	11.6	165	173	39	53
4/29/2001	2580	12	13.9	8.4	8.9	8.8	11.6	166	172	36	61
4/30/2001	2490	12.5	14.4	8.4	8.8	8.7	11.1	170	173	44	62
5/1/2001	2500	12.5	15.1	8.4	8.9	9	11.8	167	173	35	57
5/2/2001	2490	12	15.2	8.5	8.9	9.5	12.1	160	171	35	60
5/3/2001	2410	12.4	15.9	8	8.8	8.3	10.3	164	167	36	72
5/4/2001	2350	13.2	16.5	8.1	8.8	8.1	9.7	167	170	38	76
5/5/2001	2340	13.5	16.7	8.1	8.8	8.1	9.7	168	171	39	71
5/6/2001	2340	13.7	17.2	8.1	8.8	7.9	9.6	166	170	37	76
5/7/2001	2360	14.4	18.2	8	8.8	7.6	9.5	165	167	41	83
5/8/2001	2390	15.4	18.6	8	8.8	7.6	9.2	163	166	45	83
5/9/2001	2450	15.6	18.5	8	8.8	7.5	9.2	157	164	46	77
5/10/2001	2470	15.2	18.2	8	8.8	7.5	9.2	157	162	41	82
5/11/2001	2440	15.2	18.7	8	8.8	7.6	9.2	152	158	44	85
5/12/2001	2570	16.5	19.3	7.9	8.7	6.9	9	153	156	50	78
5/13/2001	2850	15.9	18	7.8	8.5	7.6	9.4	148	156	42	72
5/14/2001	2920	15.2	16.3	7.7	8.1	6.3	9.3	152	156	46	53
5/15/2001	3030	14.9	16.2	7.6	8.1	5.7	9.8	141	152	48	59
5/16/2001	3410	14.3	16.6	7.5	7.9	4.4	9.4	129	141	45	64
5/17/2001	2920	15.1	18	7.4	8.2	7.5	9.2	132	145	41	72
5/18/2001	2880	16	19.1	7.8	8.4	7.6	9.2	144	147	44	75
5/19/2001	2580	16.9	19.9	7.7	8.3	7.3	9.2	145	148	46	77
5/20/2001	2380	17.2	20.6	7.8	8.1	6.7	9.2	146	148	47	81
5/21/2001	2340	18.2	21.4	7.9	8.1	6.9	8.8	148	150	50	86
5/22/2001	2310	18.5	22.1	8.1	8.3	6.3	8.5	147	150	49	89
5/23/2001	2280	19.1	22.2	8.2	8.8	6.1	8.3	146	152	51	85
5/24/2001	2230	19.1	22.3	8.5	8.9	6.1	8.7	149	153	50	84
5/25/2001	2200	19.4	23.3	7.1	8.9	6.7	9	146	150	52	85
5/26/2001	2170	20.1	23.2	8	8.9	6.6	8.9	147	148	55	84
5/27/2001	2130	19.4	21.6	8	8.9	6.8	8.9	146	148	48	70
5/28/2001	2110	17.6	19.9	8.1	9	7.3	9.5	147	152	41	68
5/29/2001	2080	17.2	20.7	8.1	9.1	7.5	9.6	148	152	39	75
5/30/2001	2060	18.2	22.1	8.2	9.1	7.3	9.5	149	151	45	83
5/31/2001	2030	19.6	23.4	8.1	9	6.7	9.3	149	151	51	90
6/1/2001	2220	20.2	22.6	8.1	9	7.1	9.2	148	152	51	75
6/2/2001	2390	18.7	21	8.2	9	7.7	9.7	146	150	42	64
6/3/2001	2380	17.8	20.6	8.2	9	7.7	9.7	146	147	38	62
6/4/2001	2390	17.7	19.9	8.3	9	5.8	9.4	147	149	37	69
6/5/2001	2390	17.7	19.7	8.2	8.8	7.1	8.9	146	148	50	62
6/6/2001	2370	17.6	20.7	8	8.9	7	8.6	144	147	42	72
6/7/2001	2350	18.6	21.9	8	8.8	6.8	8.4	142	144	46	78
6/8/2001	2320	19.8	22.5	7.9	8.8	6.8	8.5	141	144	48	78
6/9/2001	2310	19	21.8	8	8.9	6.8	8.6	140	143	46	75
6/10/2001	2290	19	20.7	8.1	8.8	6.9	8.6	140	142	44	69
6/11/2001	2290	18.4	20	8	8.8	7.1	9	140	142	45	68
6/12/2001	2300	18.2	20.8	8	8.9	7.3	9.2	139	141	44	68
6/13/2001	2280	18.4	21.1	8	8.9	7.3	9.2	138	142	39	75
6/14/2001	2270	19.1	21.6	8	8.9	7.1	9.2	135	139	43	81
6/15/2001	2260	19.3	22.3	8	8.8	7.6	9.3	136	139	47	81
6/16/2001	2240	19.1	22.1	8.1	8.9	7.5	9.4	135	137	46	81
6/17/2001	2060	18.7	21.9	8	8.9	7.6	9.6	134	138	45	77
6/18/2001	1840	19	22.3	8	8.9	7.6	9.9	136	139	45	81
6/19/2001	1820	19.6	22.7	8.1	9	7.6	9.9	134	139	46	83
6/20/2001	1810	20.4	23.5	8	9	7.7	9.9	133	138	51	86
6/21/2001	1810	20.8	24	8.1	9	7.6	10	132	139	53	89
6/22/2001	1790	20.3	24	8	9.1	7.4	9.9	137	142	52	87
6/23/2001	1780	18.9	22.7	8.2	9.2	7.6	10.3	132	140	49	79
6/24/2001	1780	18.4	20.9	8.3	9.1	8	10.8	135	138	51	65

KLAMATH R NEAR SEIAD VALLEY
 DISCHARGE, CUBIC FEET PER SECOND; TEMPERATURE, WATER (DEG. C); PH, WATER, WHOLE, FIELD, STANDARD UNITS;
 OXYGEN DISSOLVED (MG/L);SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C); TEMPERATURE, AIR, DEGREES FAHRENHEIT
 START="20001001" END "20010930"

DATE	DC MEAN	WT MIN	WT MAX	pH MIN	pH MAX	DO MIN	DO MAX	CON MIN	CON MAX	AT MIN	AT MAX
6/25/2001	1790	18.5	19.9	8.2	9.1	8.9	11.2	136	141	46	68
6/26/2001	1820	17.9	19.2	8.2	8.7	9	10.6	128	138	52	58
6/27/2001	1900	18.5	20.4	8.2	9	9.2	11.3	128	133	51	66
6/28/2001	1880	19.2	21.8	8.2	9.1	9.1	11.5	133	139	51	70
6/29/2001	1850	19.9	22.9	8.3	9.2	8.9	11.4	136	142	49	76
6/30/2001	1820	19.8	23	8.3	9.3	7.8	11.1	133	138	50	79
7/1/2001	1770	19.8	23	8.3	9.3	8.7	11.5	131	141	46	81
7/2/2001	1200	20.3	24.5	8.3	9.4	8.7	11.8	138	150	50	87
7/3/2001	1060	22.5	25.2	8.3	9.1	7.1	10.2	150	163	56	91
7/4/2001	1070	23	25.5	7.9	9.1	6.7	10.2	160	164	59	92
7/5/2001	1050	23.2	25.9	7.9	9	6.6	10.3	164	180	59	88
7/6/2001	1030	22.8	25.6	7.9	9.1	6.6	10.5	159	165	52	86
7/7/2001	1030	22.7	24.6	7.7	8.9	6.7	10.7	155	166	53	85
7/8/2001	1030	21.7	24.7	7.8	9	7.1	11.1	157	161	51	87
7/9/2001	1020	21.9	24.6	7.7	8.9	7	11.2	155	160	49	90
7/10/2001	1050	22.8	25.6	7.7	8.9	6.8	11.1	154	160	58	89
7/11/2001	1070	21.7	22.9	7.5	8.3	6.7	10.4	157	163	56	72
7/12/2001	1110	21.1	24.3	7.4	8.7	7.6	11.7	159	171	55	82
7/13/2001	1100	21.3	24.8	7.4	8.7	6.9	11.8	166	172	54	85
7/14/2001	1100	22.4	25.1	7.5	8.6	7.3	11.7	161	169	55	83
7/15/2001	1090	22.3	24.6	7.4	8.6	7.3	11.8	162	165	51	79
7/16/2001	1080	21.5	24.1	7.4	8.7	7.5	12	161	165	49	75
7/17/2001	1080	21.3	23.5	7.4	8.6	7.3	12.4	163	165	47	76
7/18/2001	1080	21.1	23.9	7.3	8.6	7.7	12.4	162	167	49	79
7/19/2001	1080	21.9	24.4	7.2	8.4	7.4	12.4	159	164	53	80
7/20/2001	1090	21.5	23.9	7.2	8.4	7.4	12.5	157	163	53	76
7/21/2001	1090	21.2	24	7.1	8.3	7.4	12.6	160	166	51	80
7/22/2001	1090	21.7	24.7	7	8.3	7.1	12.4	162	167	51	84
7/23/2001	1070	22.1	25.1	7.1	8.4	7.5	12.5	161	168	54	87
7/24/2001	1070	22.7	25.5	6.9	8.3	7.1	12.4	159	164	55	88
7/25/2001	1070	23.1	25.9	6.9	8.8	6.5	12.4	158	166	56	92
7/26/2001	1060	22.6	25.5	7.8	8.1	6.2	10.8	156	165	53	91
7/27/2001	1060	22.6	25.2	7.8	8.1	6.1	10.7	154	161	52	88
7/28/2001	1060	22.3	24.7	7.8	8.3	5.8	10.6	159	164	52	81
7/29/2001	1060	21.6	23.7	7.9	8.2	6.1	10.1	160	163	53	78
7/30/2001	1060	20.8	23.3	8.1	8.5	6.6	10.6	159	164	56	74
7/31/2001	1060	20.7	24	8.1	8.8	6.7	10	158	164	48	81
8/1/2001	1060	21.7	24.4	7.7	8.9	6.4	10.2	160	163	51	85
8/2/2001	1060	21.7	24.2	7.6	8.6	6.2	9.4	161	164	51	86
8/3/2001	1070	21.9	23.5	7.5	8.6	6.2	9.1	162	164	52	79
8/4/2001	1070	21.5	23.6	7.6	8.6	5.3	9	161	170	61	77
8/5/2001	1070	21.5	24.3	7.6	8.8	5.9	9.2	157	171	51	84
8/6/2001	1060	21.9	24.6	7.7	8.8	5.3	9	160	171	52	89
8/7/2001	1050	22.8	25.7	7.6	8.7	5.6	8.7	160	168	56	94
8/8/2001	1060	23.9	26.4	7.5	8.7			155	170	59	98
8/9/2001	1060	23.8	26.2	7.6	8.6			160	164	59	96
8/10/2001	1070	23.8	26.1	7.6	8.6			157	162	58	93
8/11/2001	1070	23.1	25	7.6	8.7			155	159	56	90
8/12/2001	1080	22.8	24.07	7.7	8.6			156	161	57	92
8/13/2001	1090	22	24.3	7.6	8.6			155	161	54	90
8/14/2001	1050	22.1	24.4	7.7	8.7			161	168	53	89
8/15/2001	1030	20.9	25.4	7.7	8.6			165	169	54	90
8/16/2001	1030	22.5	24.9	7.6	8.6	6.7	9.8	163	168	54	90
8/17/2001	1010	22.8	25.1	7.6	8.6	6.8	10	163	168	55	88
8/18/2001	1020	22.1	24.3	7.6	8.7	6.8	10.3	161	169	54	80
8/19/2001	1020	21.5	24.1	7.7	8.7	7.1	10.6	163	170	48	86
8/20/2001	1030	21.3	23.7	7.7	8.7	7.4	10.8	160	168	48	83
8/21/2001	1040	21.1	23.3	7.7	8.8	7.5	10.9	162	168	52	77
8/22/2001	1040	20.9	22.1	7.7	8.2	7.2	10.3	164	170	57	70
8/23/2001	1040	20.8	22	7.5	8.4	7.6	10.6	163	173	55	69
8/24/2001	1050	19.9	22.6	7.5	8.3	7.3	10.6	166	173	48	76
8/25/2001	1030	20.7	23.5	7.7	8.8	6.4	9.5	169	185	49	85
8/26/2001	1040	21.6	23.9	7.8	8.7	5.2	7.9	181	195	52	88
8/27/2001	1030	21.6	24.2	7.8	8.9			167	190	51	88
8/28/2001	1010	21.6	24.1	7.8	8.9			155	188	51	86
8/29/2001	1020	21.7	24.4	7.9	9			155	176	54	91
8/30/2001	1030	22.5	24.6	7.9	9			150	177	56	89

KLAMATH R NEAR SEIAD VALLEY
 DISCHARGE, CUBIC FEET PER SECOND; TEMPERATURE, WATER (DEG. C); PH, WATER, WHOLE, FIELD, STANDARD UNITS;
 OXYGEN DISSOLVED (MG/L);SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C); TEMPERATURE, AIR, DEGREES FAHRENHEIT
 START="20001001" END "20010930"

DATE	DC MEAN	WT MIN	WT MAX	pH MIN	pH MAX	DO MIN	DO MAX	CON MIN	CON MAX	AT MIN	AT MAX
8/31/2001	1040	22.3	24.6	7.9	8.7			161	175	54	85
9/1/2001	1040	21.8	24	7.6	8.8			166	175	53	83
9/2/2001	1040	21.7	23.6	7.7	8.8			170	173	53	83
9/3/2001	1050	20.9	23.2	7.7	8.7			172	176	46	84
9/4/2001	1050	20.8	22.9	7.7	8.8			175	179	49	84
9/5/2001	1050	20.4	21.9	7.8	8.8			174	180	49	68
9/6/2001	1040	19.1	21.4	7.6	8.7	7	10.7	167	177	43	77
9/7/2001	1030	18.6	21.4	7.6	8.7	7.1	11.1	167	174	44	83
9/8/2001	1030	19.3	21.6	7.5	8.6	7	11	169	173	48	84
9/9/2001	1040	19.2	21.6	7.4	8.6	7.1	11	168	174	45	87
9/10/2001	1030	19.6	21.7	7.4	8.4	7.1	11.2	169	175	48	84
9/11/2001	1050	19.1	20.7	7.3	8.1	7.2	10.8	159	173	47	75
9/12/2001	1060	18.6	19.7	7.4	8.2	7.8	10.9	173	177	50	73
9/13/2001	1060	18.8	21	7.4	8.2	7.9	11.4	175	179	55	81
9/14/2001	1060	19.4	21.7	7.4	8.3	7.7	11.3	178	180	51	83
9/15/2001	1070	20.3	22.3	7.4	8.4	7.5	11	177	180	57	77
9/16/2001	1060	20.1	22.1	7.4	8.3	7.4	11.2	177	180	50	80
9/17/2001	1060	19.5	21.8	7.4	8.3	7.7	11.2	176	181	47	83
9/18/2001	1060	19.3	21.3	7.5	8.3	7.7	11.5	177	180	45	81
9/19/2001	1060	18.8	20.8	7.5	8.3	8.3	11.7	175	184	45	80
9/20/2001	1060	18.6	20.5	7.4	8.2	8.4	11.8	177	183	43	79
9/21/2001	1060	18.1	19.9	7.5	8.2	8.7	12	178	184	41	78
9/22/2001	1070	17.8	19.8	7.4	8.2	8.7	12	179	183	41	80
9/23/2001	1060	18.4	20.1	7.5	8.2	8.7	11.9	178	183	45	82
9/24/2001	1050	18.4	20	7.5	8.2	8.7	12	178	184	46	82
9/25/2001	1140	18	19	7.5	8.1	8.7	11.8	172	178	49	58
9/26/2001	1190	17.3	18.4	7.6	8.2	9.6	11.9	172	209	48	63
9/27/2001	1150	17	18	7.7	8.3	9.8	12	208	213	47	64
9/28/2001	1130	16.4	18.2	7.8	8.3	9.7	12.2	199	208	42	62
9/29/2001	1120	16.2	18.2	7.8	8.3	9.7	12.1	194	202	39	72
9/30/2001	1120	16.7	18.7	7.7	8.3	9.4	11.9	193	195	42	74
9/30/2000	1440	16.5	19	6.6	6.7			200	205	46	77